Saturday, 2 May 2020 16:08:46

Welcome SREENIVAS M

Supported Browser Versions are: IE11, Mozilla Firefox 47,48,49,50 and 51.

Due to Security reasons, use of multi-tab/multi-instance of browser is disabled in Karnataka Public Procurement Portal.

DashBoard Blue English Logout

My Profile Indent Management Tender Management Catalogue Management Payment Catalogue Administration

Contract Management Auction Management Project Management Reservation Allocation

Financial Bid Evaluation of Goods Items

Tender Details

Tender No. : BBMP/2019-20/RD/WORK_INDENT40177

Tender Title : Comprhensive Development of Roads & Drains in Muthyalanagara, LC-4A, Mohankumar Nagar, Sundara Nagar and Surrounding areas in W No.17 under PACKAGE- 2019-20 RRN-DIV-(09).

Work Summary : Comprhensive Development of Roads & Drains in Muthyalanagara, LC-4A, Mohankumar Nagar, Sundara Nagar and Surrounding areas in W No.17 under PACKAGE- 2019-20 RRN-DIV-(09).

Bid Items

« « 1 2 3 » »

Sl No	Item Name	Item Code	Unit	Estimate Rate	Estimate Quantity	B K VINODKUMAR ( )	R LOKESH (RAMAIAH LOKESH)
1	Removing & Refixing stone slabs of drains and pointing in C.M (1:3)Complete as per the direction of Engineer in charge with all lead and lift	1	Sqm	111.3	13265.28	111.3	120.0
2	Excavation for road, drains and similar works KSRRB 300-1. Earthwork excavation by manual means in ordinary soil involving an average horizontal throw upto 2 meters and an average lift upto 0.5 m, excavated surface leveled and sides neatly dressed, the disposed earth to be leveled neatly after breaking of clods complete as per specifications Complete as per the direction of Engineer in charge with all lead and lift	2	Cum	235.76	12286.14	235.76	254.0
3	Plain cement concrete 1:3:6 mix with crushed stone aggregate 40 m nominal size mechanically mixed, placed in foundation and compacted by vibration including curing complete as per specifications Complete as per the direction of Engineer in charge with all lead and lift	3	Sqm	4479.56	302.11	5000.0	4837.0
4	Providing and laying plain/reinforced cement concrete for side drains using M20 nominal mix concrete with OPC at 300 kgs. with 20mm and down size granite metal coarse aggregates at 0.69 cum and fine aggregates at 0.43 cum machine mixed, well compacted for walls and bottom including centering, shuttering, cost of materials, HOM of machinery, curing etc., complete excluding cost of steel as per MORTH specification No. 1500, 1700, 2200. including cost of materials, labour, HOM complete as per specifications.Wall & bottom thickness 15cm Complete as per the direction of Engineer in charge with all lead and lift	4	Cum	7070.2	637.09	7500.0	7635.0
5	Providing T.M.T. steel reinforcement for R.C.C. work including straightening, cutting, bending, hooking, placing in position, lapping and/or welding wherever required, tying with binding wire and anchoring to the adjoining members wherever necessary complete as per disign (laps, hooks and wastage shall not be measured and paid) cost of materials, labour, HOM complete as per specification. Complete as per the direction of Engineer in charge with all lead and lift	5	tonne	72326.98	40.46	75000.0	78113.0
6	Providing and constructing precast concrete solid blocks with compressive strength not less than 3.5 Newton per sqm with cement mortar 1:4 masonry (quoin, Jamb, closer blocks) with solid concrete blocks of size 40x15x20cms conforming to I.S: 2185/1965 in superstructure including cost of materials, labour charges, scaffolding, curing complete as per specifications.-do with solid concrete blocks of size 400*200*200 mm Complete as per the direction of Engineer in charge with all lead and lift	6	Sqm	966.72	10331.6	1010.0	1044.0
7	Providing ruled pointing to coursed stone masonry with cement mortar, 20mm deep, after raking joints to depth of 20mm nicely lining, including cost of materials, labour, HOM curing complete as per specifications.– do – cement mortar 1:3 Complete as per the direction of Engineer in charge with all lead and lift	7	Sqm	150.52	31676.8	200.0	162.0
8	Providing and laying in position plain cement concrete of Mix 1:2:4 with OPC @ 240kgs, with 20mm and down size graded granite metal coarse aggregates @ 0.69 cum and fine aggregtes @ 0.459 cum, machine mixed, concrete laid in layers not exceeding 15 cms. thick, well compacted, in For Coping , including cost of all materials, labour, HOM curing omplete as per specifications. SComplete as per the direction of Engineer in charge with all lead and lift	8	Cum	5599.98	1187.88	6200.0	6207.0
9	Providing granite slabs of selected quality roughly dressed and fixed in cement mortar (1:6) including fixing curing etc., complete.- do - 10 cms thick Complete as per the direction of Engineer in charge with all lead and lift	9	Sqm	966.72	7085.92	966.72	1044.0
10	Providing one line dressing to granite stone slab / granite stone masonry as per specifications. Complete as per the direction of Engineer in charge with all lead and lift	10	Sqm	950.82	7086	950.82	1026.0

Back Export to Excel

This site is best viewed in 1024x768 resolution.

https://eproc.karnataka.gov.in/eprocurement/jsf/tender/commercial_values_for_works.seam?conversationId=9886&conversationIsLongRunning=true

Scanned with CamScanner

Financial Bid Evaluation of Goods Items

Tender Details

Tender No. : BBMP/2019-20/RD/WORK_INDENT40177

Tender Title : Comprhensive Development of Roads & Drains in Muthyalanagara, LC-4A, Mohankumar Nagar, Sundara Nagar and Surrounding areas in W No.17 under PACKAGE- 2019-20 RRN-DIV-(09).

Work Summary : Comprhensive Development of Roads & Drains in Muthyalanagara, LC-4A, Mohankumar Nagar, Sundara Nagar and Surrounding areas in W No.17 under PACKAGE- 2019-20 RRN-DIV-(09).

Bid Items

« ‹ 1 2 3 › »

Sl No	Item Name	Item Code	Unit	Estimate Rate	Estimate Quantity	B K VINODKUMAR ( )	R LOKESH (RAMAIAH LOKESH)
11	Providing chamfering edges to stone slab 2.5 cms. Wide as per specifications. (only chamfered length shall be recorded) Complete as per the direction of Engineer in charge with all lead and lift	11	Sqm	61.48	33068	61.48	66.0
12	Providing and Fixing RCC Precast Cover Slab of 250 mm Thick for Drains in Cement Concrete M-20 using graded granite Jelly of 20 mm and down size with steel Reinforcement, including form work lift charges, curing and concrete finished surface on both sides etc., as per drawing and the direction of Enginner-in-charge.Data Rate	12	Sqm	5418	219.2	5418.0	5851.0
13	Removing and resetting of kerb stones.Complete as per the direction of Engineer in charge with all lead and lift	13	Sqm	104.94	14047.8	104.94	113.0
14	Providing and fixing pre cast solid concrete kerb stones of size 450x150x500 mm made out of CC 1:2:4 and finished with CM 1:3 plastering and finishing cutting ete., Complete as per the direction of Engineer in charge with all lead and lift	14	nos	467.46	20700	467.46	504.0
15	Painting two coats after filling the surface with synthetic enamel paint in approved shades on new plastered concrete surfaces, with materials, labour complete as per specifications. Complete as per the direction of Engineer in charge with all lead and lift	15	Sqm	84.8	9345.2	84.8	91.0
16	Excavation for roadwork in soil with hydraulic excavator of 0.90 cum bucket capacity including cutting and loading in tippers, trimming bottom and side slopes, in accordance with requirements of lines, grades and cross sections, and transporting to embankment location and complete as per specifications. Complete as per the direction of Engineer in charge with all lead and lift	16	Cum	84.42	2316.14	84.42	91.0
17	Construction of granular sub-base Grading-V as Sub-base and drainage layer by providing coarse graded crushed stone aggregates of granite/ trap/basalt material, mixing in a mechanical mix plant at OMC, Carriage of mixed material to work site, spreading in uniform layers with motor grader on prepared surface and compacting with vibratory power roller to achieve the 98 % proctor density, complete as per specifications. Complete as per the direction of Engineer in charge with all lead and lift	17	Cum	1994.92	2216	1994.92	2154.0
18	Providing, laying, spreading and compacting crushed stone aggregates of granite / trap / basalt to wet mix macadam specifications including pre mixing the material with water at OMC in mechanical mix plant carriage of mixed method of tipper to site, laying in uniform layers with paver in sub-base/base course on well prepared surface and compacting with vibratory roller to achieve the desired density complete as per specifications. Complete as per the direction of Engineer in charge with all lead and lift	18	Cum	2001.28	3397.56	2001.28	2161.0
19	Providing and applying primer coat with S.S. bitumen emulsion on prepared surface of granular base such as WMM ,including clearing of road surface and spraying primer at the rate of 0.60 kg / sqm using mechanical means complete as per Specifications. MORTH Specification No. 502 Complete with all lead and lift and as per the direction of the Engineer-in-Charge.	19	Sqm	29.68	14772.01	29.68	32.0
20	Cleaning the existing black topped surface with brooms, soft brushes and finally dusting with old gunny bags and / or compressed air to receive bituminous treatment including cost of all materials, labour, HOM complete as per specifications. Complete as per the direction of Engineer in charge with all lead and lift	20	Sqm	5.3	56523.24	5.3	5.0

Back Export to Excel

This site is best viewed in 1024x768 resolution.

Scanned with CamScanner

Financial Bid Evaluation of Goods Items

Tender Details

Tender No. : BBMP/2019-20/RD/WORK_INDENT40177

Tender Title : Comprhensive Development of Roads & Drains in Muthyalanagara, LC-4A, Mohankumar Nagar, Sundara Nagar and Surrounding areas in W No.17 under PACKAGE- 2019-20 RRN-DIV-(09).

Work Summary : Comprhensive Development of Roads & Drains in Muthyalanagara, LC-4A, Mohankumar Nagar, Sundara Nagar and Surrounding areas in W No.17 under PACKAGE- 2019-20 RRN-DIV-(09).

Bid Items

« « 1 2 3 » »

Sl No	Item Name	Item Code	Unit	Estimate Rate	Estimate Quantity	B K VINODKUMAR ( )	R LOKESH (RAMAIAH LOKESH)
21	Providing and applying tack coat using 80/100 grade bitumen(VG10) on the prepared black topped surfaces at 2.5 kg per 10 sqm, heating bitumen in boiler fitted with spray set (excluding cleaning of road surface) including cost of all materials, labour, HOM of machineries complete as per specifications. Complete as per the direction of Engineer in charge with all lead and lift	21	Sqm	12.72	127818.49	12.72	13.0
22	Providing and laying dense graded bituminous macadam using crushed aggregates of specified grading, premixed with VG30 grade bituminous binder and, transporting the hot mix to work site, laying to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MORTH table 500-10 complete in all respects complete as per specifications. Clause 505 of morth V revision using 40/60 TPH capacity H.M.P. with mechanical paver Gr-II (50mm to 75mm) with 4.5% VG-30 Bitumen. Complete as per the direction of Engineer in charge with all lead and lift	22	Cum	6858.2	3564.76	8600.0	7406.0
23	Providing and laying bituminous concrete using crushed aggregates of specified grading, premixed with bituminous binder and filler, transporting the hot mix to work site, laying with a paver finisher to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction in all respects complete as per specifications. Clause 507 of MORTH V revision. -using40/60 TPH capacity H.M.P. with Mechanical Paver Gr-II (30 mm to 40 mm) with 5.4% VG-30 Bitumen Complete as per the direction of Engineer in charge with all lead and lift	23	Cum	7911.84	2851.81	9600.0	8544.0
24	Road Marking with Hot Applied Thermoplastic Compound with Reflectrising Glass Beads on Bituminous Surface:- Providing and laying of hot applied thermoplastic compound 2.5 mm thick including reflectorising glass beads at 250 gms per sqm area, thickness of 2.5 mm is exclusive of surface applied glass beads as per IRC:35. The finished surface to be level, uniform and free from streaks and holes complete as per specifications. Complete as per the direction of Engineer in charge with all lead and lift	24	Sqm	454.74	5321.62	454.74	491.0
25	Road markers / Road stud Providing and fixing of road stud 100x 100 mm, diecast in aluminium, resistant to corrosive effect of salt and grit, fitted with lense reflectors, installed in concrete or asphaltic surface by drilling hole 30 mm upto a depth of 60 mm and bedded in a suitable bituminous grout or epoxy mortar, all as per BS: 873 part 4:1973 complete as per specifications Complete as per the direction of Engineer in charge with all lead and lift	25	nos	357.22	9460	357.22	385.0

Back Export to Excel

This site is best viewed in 1024x768 resolution.

Scanned with CamScanner

Friday, 28 February 2020 16:44:29

Supported Browser Versions are: IE11, Mozilla Firefox 47,48,49,50 and 51.

Profile | Indent Management | Tender Management | Catalogue Management | Payment | Catalogue Administration | Contract Management | Auction Management | Project Management | Reservation Allocation | Payment Verification

Due to Security reasons, use of multi-tab/multi-instance of browser is disabled in Karnataka Public Procurement Portal.

DashBoard | Blue | English | Logout

Tender No. : BBMP/2019-20/RD/WORK_INDENT40177

Tender Title : Comprhensive Development of Roads & Drains in Muthyalanagara, LC-4A, Mohankumar Nagar, Sundara Nagar and Surrounding areas in W No.17 under PACKAGE- 2019-20 RRN-DIV-(09).

Department : Bruhat Bengaluru Mahanagara Palike

Tender Fee (INR) : 7500

EMD and Tender Fee Payment Details

EMD Amount (INR) : 1500000

Sl No	Registration No	Supplier Name	Bid Status	Payment Type	Payment Amount	Payment Number	Payment URN	Bank Transaction Ref. No.	Payment Status
1	S14284	B K VINODKUMAR ( )	RECEIVED	EMD	100000	B3747999/E/N/01	GOK0230498062501	KARBN20051098789	Verification Successful, Reconciled, Perfect Match
2			RECEIVED	TENDER_FEE	7500	B3747999/T/N/01	GOK0130498070001	KARBN20051098925	Verification Successful, Reconciled, Perfect Match
3	S12342	R LOKESH (RAMAIAH LOKESH)	RECEIVED	TENDER_FEE	7500	B3748052/T/N/01	GOK0130498058301	N051200044636875	Verification Successful, Reconciled, Perfect Match
4			RECEIVED	EMD	100000	B3748052/E/N/01	GOK0230498059201	N051200044636817	Verification Successful, Reconciled, Perfect Match
5	S14355	RAJU C T( )	DRAFT	TENDER_FEE	7500	B3745325/T/N/01	GOK0130497642301		Initiated, UnReconciled, Not Matched
6			DRAFT	EMD	100000	B3745325/E/N/01	GOK0230497642601		Initiated, UnReconciled, Not Matched

Close

This site is best viewed in 1024x768 resolution.

https://eproc.karnataka.gov.in/eprocurement/jsf/tender/eval_emd_verification.seam?conversationId=145263&conversationIsLongRunning=true

Scanned with CamScanner